

AMENDMENTS TO THE CLAIMS

The claims in this listing will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Previously Presented) Cosmetic preparation composition containing
 - (a) at least two surfactants from sodium lauryl sarcosinate, sodium monoalkyl phosphate, disodium lauryl sulfosuccinate, disodium cocoyl glutamate, α -olefin sulfonate and lauryl glucoside with a total surfactant concentration of the composition being 3 to 15 % by weight;
 - (b) at least one hydrocolloid in a total concentration of 0.05 to 1 % by weight; and
 - (c) at least one water-soluble salt in a concentration of 1 to 4 % by weight,respectively based on the total weight of the preparation composition.
2. (Previously Presented) Cosmetic preparation composition according to claim 1, wherein the at least one hydrocolloid comprises at least one compound of agar agar, carrageen, tragacanth, gum arabic, alginates, pectins, polyoses, guar gum, carob bean flower, starch, dextrans, gelatins, caseine, carboxymethylcellulose and other cellulose ethers, hydroxyethyl- and -propylcellulose, polyacrylic and polymethacrylic compounds, vinyl polymers, polycarboxylic acids, polyethers, polyimines, polyamides, polysilicic acids, clay minerals, zeolites, and silicas.
3. (Previously Presented) Cosmetic preparation composition according to claim 1, wherein the at least one water-soluble salt comprises at least one of sodium chloride, potassium chloride, ammonium chloride, and magnesium sulfate.

P27849

4. (Previously Presented) Cosmetic preparation composition according to claim 1, including at least one preservative in a total concentration of 0.1 to 1 % by weight, based on the total weight of the preparation composition.

5. (Previously Presented) Cosmetic preparation composition according to claim 1, including at least one solubilizer in a concentration of 0.1 to 1 % by weight based on the total weight of the preparation composition.

6. (Previously Presented) Cosmetic preparation composition according to claim 1, wherein the preparation composition is stored as a foamable preparation in a pump foamer or an aerosol can and can be applied from the pump foamer or the aerosol can.

7. (Previously Presented) Method of cleansing skin comprising applying a cosmetic preparation composition according to claim 1 to the skin.

8. (Previously Presented) Cosmetic preparation composition according to claim 1, including water.

9. (Previously Presented) Cosmetic preparation composition according to claim 1, including cosmetic or dermatological active substances, auxiliary agents and additives.

10. (Previously Presented) Cosmetic preparation composition according to claim 2, wherein the at least one water-soluble salt comprises at least one of sodium chloride, potassium chloride, ammonium chloride, and magnesium sulfate.

11. (Previously Presented) Cosmetic preparation composition according to claim 8, wherein the at least one water-soluble salt comprises at least one of sodium chloride, potassium chloride, ammonium chloride, and magnesium sulfate.

P27849

12. (Previously Presented) Cosmetic preparation composition according to claim 2, including at least one preservative in a total concentration of 0.1 to 1 % by weight, based on the total weight of the preparation composition.

13. (Previously Presented) Cosmetic preparation composition according to claim 8, including at least one preservative in a total concentration of 0.1 to 1 % by weight, based on the total weight of the preparation composition.

14. (Previously Presented) Cosmetic preparation composition according to claim 2, including at least one solubilizer in a concentration of 0.1 to 1 % by weight based on the total weight of the preparation composition.

15. (Previously Presented) Cosmetic preparation composition according to claim 4, including at least one solubilizer in a concentration of 0.1 to 1 % by weight based on the total weight of the preparation composition.

16. (Previously Presented) Cosmetic preparation composition according to claim 8, including at least one solubilizer in a concentration of 0.1 to 1 % by weight based on the total weight of the preparation composition.

17. (Previously Presented) Cosmetic preparation composition according to claim 2, wherein the preparation composition is stored as a foamable preparation in a pump foamer or an aerosol can and can be applied from the pump foamer or the aerosol can.

18. (Previously Presented) Cosmetic preparation composition according to claim 8, wherein the preparation composition is stored as a foamable preparation in a pump foamer or an aerosol can and can be applied from the pump foamer or the aerosol can.

19. (Previously Presented) Cosmetic preparation composition according to claim 2, wherein the clay minerals comprise montmorillonites.

P27849

20. (Previously Presented) Method of cleansing skin comprising applying a cosmetic preparation composition according to claim 8 to the skin.

21. (Previously Presented) Cosmetic preparation composition according to claim 1, wherein the total surfactant concentration of the composition is 5 to 12 % by weight.

22. (Previously Presented) A method of forming a cosmetic preparation composition containing

(a) at least two surfactants from sodium lauryl sarcosinate, sodium monoalkyl phosphate, disodium lauryl sulfosuccinate, disodium cocoyl glutamate, α -olefin sulfonate and lauryl glucoside with a total surfactant concentration of the composition being 3 to 15 % by weight;

(b) at least one hydrocolloid in a total concentration of 0.05 to 1 % by weight; and

(c) at least one water-soluble salt in a concentration of 1 to 4 % by weight,

respectively based on the total weight of the preparation composition, comprising .

combining at least two surfactants from sodium lauryl sarcosinate, sodium monoalkyl phosphate, disodium lauryl sulfosuccinate, disodium cocoyl glutamate, α -olefin sulfonate and lauryl glucoside; at least one hydrocolloid; and at least one water-soluble salt, respectively based on the total weight of the preparation composition.

23. (Previously Presented) Method according to claim 22, wherein the total surfactant concentration of the composition is 5 to 12 % by weight.